

Art Department



nicole miller
WWW.NICOLEMILLER.COM | #NMPANAMANIA



nicole miller
WWW.NICOLEMILLER.COM | #NMPANAMANIA



nicole miller



nicole miller
WWW.NICOLEMILLER.COM | #NMPANAMANIA

Michelle Coursey

www.art-dept.com

Art Department



nicole miller
WWW.NICOLEMILLER.COM | #NMPANAMANIA



nicole miller
NICOLEMILLER.COM | #NICOLEMILLERYC | #NMGONORTH



BANANA REPUBLIC




BANANA REPUBLIC

Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com


Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

www.art-dept.com

Art Department

ADVERTISEMENT NYLON X ILLAMASQUA

Take your look from "fresh faced daytime dreamy" to "smoky-eyed nighttime fantasy" with ILLAMASQUA, the cult-favorite brit beauty brand now brought to you by Bloomingdale's this fall. Check out the line in stores, or at bloomingdales.com for this season's makeup musts.

darkness + light

ILLAMASQUA
WE ARE COLOUR. YOU ARE BEAUTY.

ADVERTISEMENT NYLON X BCBGENERATION

electric youth
exuding a bold, playful attitude, these spring accessories from BCBGeneration will satisfy your spontaneous spirit.

1 stretch stone ring, \$24. wing printed valkier affirmation bracelet, \$18. thread-wrapped shabby bangle bracelet set, \$20. multicolor stone and snake collar necklace, \$28. cut-out ring, \$20. stretch tank, \$16. 2 multicolor chevron band and snake earrings, \$18. multicolor chain and chevron band necklace, \$48. side slit button-down top, \$56. 3 2-for-1 crystal-embellished necklace, \$76. fringe-trim top, \$68.

BCBGENERATION

When getting pregnant isn't part of your **3 YEAR PLAN**

START WITH **NEXPLANON (etonogestrel implant) 68mg** up to 3 years of continuous pregnancy prevention

YOU take care of the rest

- get my own place
- take a trip
- get a job
- fall in love
- save up
- finish school

NEXPLANON (etonogestrel implant). WHEN AN UNPLANNED PREGNANCY ISN'T A PART OF YOUR 3-YEAR PLAN.

NEXPLANON takes the hassle out of the birth control routine because there's no daily, weekly, or monthly dosing routine to follow. It's a small implant placed under your skin by your healthcare provider to give you up to three years of continuous birth control protection (it's more than 99% effective (less than 1 pregnancy per 100 women who used NEXPLANON for 1 year). NEXPLANON must be removed by the end of the third year and may be replaced by a new NEXPLANON at the time of removal. If continued contraceptive protection is desired, talk to your healthcare provider to find out if NEXPLANON is the right birth control option for you.

NEXPLANON is a prescription medication for the prevention of pregnancy in women.

IMPORTANT SAFETY INFORMATION

- You should not use NEXPLANON if you are pregnant or think you may be pregnant, have or have had blood clots, have liver disease or a liver tumor, have unexplained vaginal bleeding, have breast cancer or any other cancer that is sensitive to progestin (a female hormone), now or in the past, or are allergic to anything in NEXPLANON.
- Talk to your healthcare provider about using NEXPLANON if you have diabetes, high cholesterol or triglycerides, headaches, gallbladder or kidney problems, history of depressed mood, high blood pressure, allergy to numbing medicines (anesthetics) or medicines used to clean your skin (antiseptics). These medicines will be used when the implant is placed into or removed from your arm.
- Immediately after the NEXPLANON implant has been placed, you and your healthcare provider should check that the implant is in your arm by feeling for it. If you and your healthcare provider cannot feel the NEXPLANON implant, use a non-hormonal birth control method (such as condoms) until your healthcare provider confirms that the implant is in place. You may need special tests to check that the implant is in place or to help find the implant when it is time to take it out.
- The implant may not be placed in your arm at all due to failed insertion. If this happens, you may become pregnant. Removal of the implant may be very difficult or impossible if the implant is not where it should be. Special procedures, including surgery in the hospital, may be needed to remove the implant. If the implant is not removed, then the effects of NEXPLANON will continue for a longer period of time. Other problems related to insertion and removal include pain, irritation, swelling, bruising, scarring, infection, injury to the nerves or blood vessels, and breaking of the implant. Additionally, the implant may come out by itself. You may become pregnant if the implant comes out by itself. Use a backup birth control method and call your healthcare provider right away if the implant comes out.
- The most common side effect of NEXPLANON is a change in your normal menstrual bleeding pattern. In studies, one out of ten women stopped using the implant because of an unfavorable change in their bleeding pattern. You may experience longer or shorter bleeding during your period or have no bleeding at all. The time between periods may vary, and in between periods you may also have spotting.
- If you become pregnant while using NEXPLANON, you have a slightly higher chance that the pregnancy will be ectopic (occurring outside the womb) than women who do not use birth control. Ectopic pregnancies can cause serious internal bleeding, infertility, and even death. Call your healthcare provider right away if you think you are pregnant or have unexplained lower stomach (abdominal) pain.
- The use of NEXPLANON may also increase your chance of serious blood clots, especially if you have other risk factors, such as smoking. If you smoke and want to use NEXPLANON, you should quit. Some examples of blood clots are deep vein thromboses (legs), pulmonary embolism (lungs), retinal thrombosis (eyes), stroke (brain), and heart attack (heart). It is possible to die from a problem caused by a blood clot, such as a heart attack or stroke. Tell your doctor at least 4 weeks before if you are going to have surgery or will need to be on bed rest, because you have an increased chance of getting blood clots during surgery or bed rest.
- Cysts may develop on the ovaries and usually go away without treatment, but sometimes surgery is needed to remove them.
- Besides changes in menstrual bleeding patterns, other common side effects reported in women using NEXPLANON during clinical trials include: headaches, vaginitis (inflammation of the vagina), weight gain, acne, breast pain, viral infection such as sore throat or flu-like symptoms, stomach pain, painful periods, mood swings, nervousness, or depressed mood, back pain, nausea, dizziness, pain and pain at the site of insertion.
- Call your healthcare provider right away if you have pain in your lower leg that does not go away, severe chest pain or heaviness in the chest, sudden shortness of breath, sharp chest pain, or coughing blood; symptoms of a severe allergic reaction, such as swollen face, tongue or pharynx, trouble swallowing, or hives and trouble breathing; sudden severe headaches unlike your usual headaches; weakness or numbness in your arm, leg, or trouble speaking; sudden partial or complete blindness; yellowing of your skin or whites of your eyes, especially with fever, tiredness, loss of appetite, dark-colored urine, or light-colored bowel movements; severe pain, swelling, or tenderness in the lower stomach (abdomen); lump in your breast; problems sleeping, lack of energy, tiredness, or you feel very sick or heavy menstrual bleeding.
- NEXPLANON does not protect against HIV infection (the virus that causes AIDS) or other sexually transmitted diseases.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088 (1-800-332-1088).

Please read the next two pages for additional important patient information.

YOUR NEXT MOVE? VISIT NEXPLANON-USA.COM.

Nexplanon® (etonogestrel implant) 68mg Radiopaque


WITH CONTINUOUS PROTECTION 3 YEARS

MERCK Copyright © 2012 MSD Oss BV, a subsidiary of Merck & Co., Inc. All rights reserved. WOMEN-03927-0000 09/12

Michelle Coursey

www.art-dept.com

Art Department



Michelle Coursey

Art Department



Michelle Coursey

www.art-dept.com